



6057


SAFETY CAGE SPECIFICATION OF LIST

Biesheuvel Autosport is a KNAF certified company for installations off roll-bars
This roll bar is built in under Annexe J artikel 253 self construction

Safet	y Cage Manufacturer	Biesheuvel Autosport	ROLBEUGELS.NL
D R I	Address	Rijksweg 37	
FIS. BI		4255 GE Nieuwendijk	
A U	TOSPOR	<u>Netherlands</u>	AUTOSPORT
VEL BOI	Phone n° + Email	0031 183 403400 info@biesheuvel.nl	ROLBELIGELS

The structure shown on this form is manufactured for the following vehicle:

Make	ALFA ROMEO	Model	<u>1750</u>	Year/Model Identifier	1970 T
Vehicle Homologation Number(s)* *if applicable		NASHEUVEL	ROLBEUGE	LS.NL	








6057

DETAILS OF STRUCTURE



A= 560 mm

B=


mm

(E is highest figure only)

All Dimensions $\pm 5 \text{mm}$

Method of attachment to Body Shell	Welded	
Weight of Safety Cage, inc. fastenings	<u>25</u>	ROLBEUGELS.NL

LABELLED DRAWING OF THE SAFETY CAGE STRUCTURE SHOWING ALL TUBING DIMENSIONS







6057

EUVEL ROLBEUGELS

BIESHEUVEL

ROLBEUGELS

UGELS.NL BIESHEUVEL ROLBEUGELS.NL BIESHEUVEL

All Dimensions <u>+</u> 0.1mm		Show location of each type on drawing				
Tube / Member	Label	Grade of Steel	External Diameter (OD)	Wall Thickness	Min. Tensile Strength	
Main Rollbar	M	E235EN/10305-1	45.0 mm	2.5 Mm	480 N/mm²	
Front/Lateral Rollbar	<u>L/F</u>	E235EN/10305-1	40.0 mm	2.5 Mm	480 N/mm²	
Backstays	s Bp	E235EN/10305-1	40,0 mm	2.5 Mm	480 N/mm²	
Main rollbar Diagonal members	<u>D</u>		mm	Mm	N/mm²	
Backstay Diagonal members	<u>D1</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm²	
Reinforcements	<u>C</u>	E235EN/10305	O S P O R	Mm	N/mm²	
Doorbars	<u>E</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm²	
Windscreen Pillar Reinforcements	5 <u>C1</u> = 0	R T NOL	DL OO LLO	A U Mm o s	P O R N/mm²	
Harness Bar	<u>S</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm²	
OPTINAL TUBES	0	E235EN/10305-1	HEUmm E	Mm	N/mm²	
OPTINAL TUBES		A 0 1	mm	Mm	N/mm²	
OPTINALTUBES	HEUN	EL ROLL	RELIGHT	Mm	N/mm²	
LO.NL A U T	0 S P C	RT	mm	A U Mm O S	P O R N/mm²	
7 0010	FUGE		mm	mm	N/mm²	
AFF KOTR	LUGE	LOW RIE	mm	Z KU mm L	N/mm ²	

Total length of all tubes < 40 mm OD	DELICEM	15 m maximum
TOW DIESTIFO AFF VOLI	DEUULLO	NE DIESHEO VEL

HEUVEL

ROLBEUGELS.NI

BIESHEUVEL

ROLBEUGELS.N

EUGELS.N

BIESHEUVEL

ROLBEUGELS.N

BIESHEUVEL

HEUVEL

ROLBEUGELSN

BIESHEUVEL

ROLBEUGELS.N

EUGELS

BIESHEUVEL

ROLBEUGELS

BIESHEUVEL

Biesheuvel Autosport - Rolbeugels.nl

Page 3





6057

VEL ROLBEUGELS, BIESHEUVEL ROLBEUGELS

PHOTO 1 FRONT ¾ VIEW OF CAGE



PHOTO 2

REAR ¾ VIEW OF CAGE



PHOTO 3 VIEW FROM SIDE OF CAR



PHOTO 4
MAIN ROLLBAR TO FLOOR ATTACHMENT



PHOTO 5
REAR BACKSTAY TO BODYSHELL ATTACHMENT



PHOTO 6
FRONT ROLLBAR TO FLOOR ATTACHMENT







6057

РНОТО 7

FRONT ROLLBAR TO "A" PILLAR ATTACHMENT

ROI BELIGELS

BIESHEUVEL

РНОТО 8

MAIN ROLLBAR TO "B" PILLAR ATTACHMENT

GELS N BIESHEUVEL

UVEL ROLBEUGELS

GELS_{NL} BIESHEUVEL

РНОТО 9

ATTACHMENT TO FRONT SUSPENSION

BIESHEUVEL

EL ROI BELIGEIS.

AUTOSPORT

PHOTO

Chassis Identification Number



PHOTO 10

ANTI-INTRUSION DOORBAR - DRIVER



PHOTO 11

ANTI-INTRUSION DOORBAR - CO-DRIVER



BIESHEUVEL

ROLBEUGELS.NI

BIESHEUVEL





6057

PHOTO 12 SHOULDER HARNESS ATTACHMENT - DRIVER



PHOTO 13 SHOULDER HARNESS ATTACHMENT – CO DRIVER



PHOTO 14

LOCATION OF INDENTIFICATION PLATE



PHOTO 16
DETAILS OF INDENTIFICATION PLATE



PHOTO 17
OTHER DETAILS OF CAGE



PHOTO 18
OTHER DETIALS OF CAGE



JGELS BIESHEUVE

ROLBEUGELS.NI

BIESHEUVEL





6057

V.I.N. or Chassis Identification Number	AK1376855 EUVEL ROLBEUGELS
Safety Cage indentification Number	6057

MANUFACTURER'S DECLARATION AND DETAILS:

I declare that the Safety Cage Structure described on this form and fitted to the vehicle described above:

- was constructed and installed in accordance with the specifications and design shown herein.
- has been manufactured so that all aspects of the Safety Cage design, including configuration and strength requirements and welded and demountable joints and mountings, will be in conformity with the requirements of the FIA Homologation Regulations for Safety Cages.
- has been identified by an engraved plate bearing the name or logo of the manufacturer, (Biesheuvel Autosport)

Manufacturer's Name S P O R	Biesheuvel Autosport	AUTOSPORT
Address POI PEIICE	Rijksweg 37	
A ET KOTREOGET	4255 GE Nieuwendijk	
TIC DIECHEUNA	<u>Netherlands</u>	DIE CHIENTIVE I
Phone n° + Email T O 5 P O R	0031 183 403400 info@biesheuvel.nl	Manufacturer Stamp T
VEL ROLBEUGELS	BIESHEUVEL Insert signature heres PORT	
Name of Signatory#:	N Biesheuvel NI	BIESHEUVEL

MANUFACTURER'S AGENT: (For Safety Cages installed by an Agent)

The following Agent is authorised to act on the manufacturer's behalf to install this Safety Cage design.

Agent's Name	GB Metaal Techniek
Address B ESHEUV	Bredesteeg 2 BFUGELS NL BIESHEUVEL
	4255 GH Nieuwendijk
VEL ROLBEUGEL	Netherlands ESHEUVEL ROLBEUGELS NI
Phone n° + Email	0031 622607952 info@rolbeugels.nl

Instructions to the installer of the Safety Cage

EL ROLBEUGELS.NL BIESHEUVEL ROLBEUGELS.NL