


## UVEL ROLSAFETY CAGE SPECIFICATION UGELS

Biesheuvel Autosport is a KNAF certified company for installations off roll-bars This roll bar is built in under Annexe J artikel 253 self construction


HEU	Safety Cage Manufacturer	Biesheuvel Autosport ROLBEUGELS
050	Address	Rijksweg 37
BEUGI	<b>ISM BIESHEUVE</b>	4255 GE Nieuwendijk
	AUTOSPOR	Netherlands AUTOSPORT
HEU	Phone n° + Email	0031 183 403400 info@biesheuvel.nl

REUGE	The structure shown on this form is manufactured for the following vehicle:					
	Make	A U T O S P O R Opel	Model	Ascona A	Year/Model Identifier	<u>1978</u>
HEU	Vehicle Homologation Number(s)* *if applicable			<u>N/A</u> SHEUVEL	ROLBEUGE	LS.NL

BEUGE	ISM	Drawii	ng of front ¾ view	of the Com	plete Structure	showing the l	ocation of the	e identification	n plate	
		A							ORT	
HEU		R	1			1			ELS.NL	
BEUGE	LS.NL	B				Pa			VEL	
HEU	VEL D R T	R						4	ELS.NL	
BEUGE	LS.NL					30498				
HEU	VEL or r	RO	LBEUG	ELS.NL	BIESH	EUVE S P O R	ĻRO	LBEUG	ELS.NL	
								SHE		
		Autospo	ort – Rolbeugels.nl						Page 1	



	Method of attachment to Body Shell	<u>Welded</u>		ACTOSPORT
J	Weight of Safety Cage, inc. fastenings	3 <u>55</u> = S	kg	ROLBEUGELS







## Biesheuvel Autosport Installation Number 30498

## UVEL ROLBEUGELS. BIESHEUVEL ROLBEUGELS.

All Dimensions <u>+</u> 0.1	mm <sub>s p c</sub>	RT	Show location of each type on drawing O S P O R T				
Tube / Member	Label	Grade of Steel	External Diameter (OD)	Wall Thickness	Min. Tensile Strength		
Main Rollbar	<u>M</u>	E235EN/10305-1	45.0 mm	2.5 Mm	480 N/mr		
Front/Lateral Rollbar	<u>L/F</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr		
Backstays	<u>-B</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr		
Main rollbar Diagonal members	s <u>p</u> p c	RT	mm	Mm O S	480 N/mr		
Backstay Diagonal members	<u></u> D1	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr		
Reinforcements	<u>c</u> 5 E				JUCEL N/mr		
Doorbars	E	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr		
Windscreen Pillar Reinforcements	<u>C1</u>	<b>VEL ROL</b>	BELC <sup>mm</sup>	Mm	N/mr		
Harness Bar	<u>s</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr		
OPTINAL TUBES	<u>0</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr		
OPTINAL TUBES	LUGE	LJ.NL AUT	O S P MM R		N/mr		
			mm	Mm	N/mr		
LS <sub>NL</sub> BIES	HEU	VEL ROL	BEUGmmLS	Mm	N/mr		
A 0 1 0		R. I	mm	mm	N/mr		
VEL ROIB	EUGE	S. BIES	HEUMM		N/mr		
ORT Total length c	of all tubes < 4			15 m maximum			

	BIESHEUVEL A U T O S P O R T	
BIESHEUVEL A U T O S P O R T		
		BIESHEUVEL
Autosport – Rolbeugels.nl		Page 3



## LBEUGELS.NL BIESHEUVEL ROLBEUGELS.N

FRONT ¾ VIEW OF CAGE

PHOTO 1

РНОТО З

VIEW FROM SIDE OF CAR



REAR ¾ VIEW OF CAGE



PHOTO 4 MAIN ROLLBAR TO FLOOR ATTACHMENT





PHOTO 6 FRONT ROLLBAR TO FLOOR ATTACHMENT



Page 4





Biesheuvel Autosport – Rolbeugels.nl

THOLDEOGE

Page 6

	Biesheuvel Autosport Installation Number
BIESHEUVEL	ROLBEUGELS.ML RULBEUGELS.ML 30498
LS.M. BIESHEUVE	ROLBEUGELS
V.I.N. or Chassis Identification Number	8155090787 DOLDELICELS
Safety cage identification Number	30498 O S P O R T
<ul> <li>was constructed and installed in acc</li> <li>has been manufactured so that a requirements and welded and demounta Homologation Regulations for Safety Cag</li> </ul>	described on this form and fitted to the vehicle described above: cordance with the specifications and design shown herein. all aspects of the Safety Cage design, including configuration and strength able joints and mountings, will be in conformity with the requirements of the FIA
Manufacturer's Name	Biesheuvel Autosport
Address	Rijksweg 37
<b>VEL</b> ROLBEUGELS	4255 GE Nieuwendijk VEL ROLBEUGELS
Phone n° + Email E SHEUVE	0031 183 403400 FUGELS.N BIEMSNUT Curer Stamp L
Signature: ROLBEUGEL	Insert Braturshere EUVEL ROLBEUGELS.NL
Name of Signatory <sup>#</sup> :	N Biesheuvel DEILCEIC BIECHEUVEI
MANUFACTURER'S AGENT: (For Safety C The following Agent is authorised to act	Cages installed by an Agent) on the manufacturer's behalf to install this Safety Cage design.
Agent's Name	GB Metaal Techniek
Address BIESHEUVE	Bredesteeg 2 AUBEUGELS NL BIESHEUVEL 4255 GH Nieuwendijk
VEL DOLBELIGEL	Netherlands
Phone n° + Email	0031 622607952 info@rolbeugels.nl
Instructions to the installer of the Safe	ty Cage RELEVEL A U T O S P O R T
VEL ROLBEUGEL	S.N. BIESHEUVEL ROLBEUGELS.N.
	ROLBEUGELS.N. BIESHEUVEL
Biesheuvel Autosport – Rolbeugels.nl	S.NL BIESHEUVEL ROLBEUGELS.NL



