



30379


SAFETY CAGE SPECIFICATION

Biesheuvel Autosport is a KNAF certified company for installations off roll-bars
This roll bar is built in under Annexe J artikel 253 self construction

Safety Cage Manufact	urer Biesheuvel Autosport ROLRFIGES
Add	ress Rijksweg 37
FIS. BIESHEUY	4255 GE Nieuwendijk
AUTOSPO	Netherlands A U T O S P O R T
Phone n° + E	mail <u>info@biesheuvel.nl</u> <u>Inf</u>

The structure shown on this form is manufactured for the following vehicle:

Make	Opel T O S P O R	Model	Kadett GSI	Year/Model Identifier	1989
Vehicle H	omologation Number(s)* able	.NL B	NASHEUVEL	ROLBEUGE	LS.NL








30379

DETAILS OF STRUCTURE



A = 460 mm

mm

B= <u>100</u>

mm

<u>110</u>

<u>290</u>

mm

H =

<u>980</u> mm


(E is highest figure only)

All Dimensions $\pm 5 \text{mm}$

BIESHEUVEL ROLBEUGELS NL BIESHEUVE

	Method of attachment to Body Shell	<u>Welded</u>		
N	Weight of Safety Cage, inc. fastenings	<u>45</u>	kg	ROLBEUGELS

LABELLED DRAWING OF THE SAFETY CAGE STRUCTURE SHOWING ALL TUBING DIMENSIONS



HEUVEL ROLBEUGELS N. BIESHEUVEL ROLBEUGELS

BIESHEUVEL

ROLBEUGELS.NL

BIESHEUVEL





30379

ROLBEUGELS ... BIESHEUVEL ROLBEUGELS ..

All Dimensions ± 0.1mm		RT	Show location of ea	on of each type on drawing 💍 💍 👂 🔘 🔣 🔻		
Tube / Member	Label	Grade of Steel	External Diameter (OD)	Wall Thickness	Min. Tensile Strength	
Main Rollbar	<u>M</u>	E235EN/10305-1	45.0 mm	2.5 Mm	480 N/mm	
Front/Lateral Rollbar	<u>L/F</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm	
Backstays	<u>B</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm	
Main rollbar Diagonal members	o s <u>d</u> p o	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm	
Backstay Diagonal members	<u>D1</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm	
Roof Reinforcements	EU <u>c</u> JE	E235EN/10305	40.0 mm	2.0 Mm	480 N/mm	
Doorbars	<u>E</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm	
Windscreen Pillar Reinforcements	<u>C1</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm	
Harness Bar	SP	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm	
OPTINAL TUBES	0	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm	
OPTINAL TUBES	01	DIN2391 25CRM04	30.0 mm	1.5 Mm	700 N/mm	
			mm	Mm	N/mm	
S.NL BIES	HEU	VEL ROL	BEUGmmLS	Mm	N/mm	
A 0 1		IX I	mm	mm	N/mm	
T DOLD	FILE	CDIE	mm	mm -	N/mm	

Total length of all tubes < 40 mm OD mm <u>15 m maximum</u>

ROI BEUGELS.

BIESHEUVEL

ROLBEUGELS.NI

GELSNL BIESHEUVEL

ROLBEUGELS.N

BIESHEUVEL

HEUVEL

ROLBEUGELS

BIESHEUVEL

ROLBEUGELS. N

EUGELS.NL

BIESHEUVEL

ROLBEUGELS.NL

BIESHEUVEL

Biesheuvel Autosport - Rolbeugels.nl

Page 3





30379

VEL ROLBEUGELS, BIESHEUVEL ROLBEUGELS.

PHOTO 1 FRONT ¾ VIEW OF CAGE



PHOTO 2
REAR ¾ VIEW OF CAGE




PHOTO 3 VIEW FROM SIDE OF CAR



PHOTO 4
MAIN ROLLBAR TO FLOOR ATTACHMENT



PHOTO 5
REAR BACKSTAY TO BODYSHELL ATTACHMENT



PHOTO 6
FRONT ROLLBAR TO FLOOR ATTACHMENT







Biesheuvel Autosport Installation Number

30379

PHOTO 7
FRONT ROLLBAR TO "A" PILLAR ATTACHMENT



PHOTO 8
MAIN ROLLBAR TO "B" PILLAR ATTACHMENT



PHOTO 9
ATTACHMENT TO FRONT SUSPENSION



PHOTO
Chassis Identification Number



PHOTO 10

ANTI-INTRUSION DOORBAR - DRIVER



PHOTO 11 R TANTI-INTRUSION DOORBAR – CO-DRIVER



BIESHEUVEL

ROLBEUGELS.NL

BIESHEUVE





Biesheuvel Autosport Installation Number

30379

PHOTO 12 SHOULDER HARNESS ATTACHMENT - DRIVER



PHOTO 13 SHOULDER HARNESS ATTACHMENT – CO DRIVER



PHOTO 14 LOCATION OF INDENTIFICATION PLATE



PHOTO 16
DETAILS OF INDENTIFICATION PLATE



PHOTO 17
OTHER DETAILS OF CAGE



PHOTO 18
OTHER DETIALS OF CAGE



S.NL BIESHEUVEI

ROLBEUGELS.NI

BIESHEUVEI





30379

1	V.I.N. or Chassis Identification Number	WOL000043L2642458	ROLBEUGELS.NL
	Safety cage identification Number	30379	

MANUFACTURER'S DECLARATION AND DETAILS:

I declare that the Safety Cage Structure described on this form and fitted to the vehicle described above:

- was constructed and installed in accordance with the specifications and design shown herein.
- has been manufactured so that all aspects of the Safety Cage design, including configuration and strength requirements and welded and demountable joints and mountings, will be in conformity with the requirements of the FIA Homologation Regulations for Safety Cages.
- has been identified by an engraved plate bearing the name or logo of the manufacturer, (Biesheuvel Autosport)

Manufacturer's Name S S S S	Biesheuvel Autosport	AUTOSPORT
Address POI PEIIGEI	Rijksweg 37	
KULDEUGEL	4255 GE Nieuwendijk	
TIC PIECUEINA	<u>Netherlands</u>	DIECHIENTIVE
Phone n° + Email T 0 5 P 0 F	0031 183 403400 info@biesheuvel.nl	A ∪ Manyfacturer Stamp ⊤ here
VEL ROLBEUGELS Signature:	NL BIESHEUVEL Insert signature heres PORT	
Name of Signatory#:	N Biesheuvel NI	BIESHEUVEL

MANUFACTURER'S AGENT: (For Safety Cages installed by an Agent)

The following Agent is authorised to act on the manufacturer's behalf to install this Safety Cage design.

Agent's Name	GB Metaal Techniek
Address BIESHEUVI	Bredesteeg 2 BEUGELS.NL BIESHEUVEL
	4255 GH Nieuwendijk
VEL ROLBEUGELS	Netherlands SHEUVEL ROLBEUGELS.NL
Phone n° + Email	0031 622607952 info@rolbeugels.nl

Instructions to the installer of the Safety Cage

PL ROLBEUGELS.NL BIESHEUVEL ROLBEUGELS.NL

