



30487


SAFETY CAGE SPECIFICATION

Biesheuvel Autosport is a KNAF certified company for installations off roll-bars
This roll bar is built in under Annexe J artikel 253 self construction

VEL	Safety Cage Manufacturer	Biesheuvel Autosport	ROLBEUGELS
O K I	Address	Rijksweg 37	
FISM	BIESHEUVE	4255 GE Nieuwendijk	BIESHEUVEL
L L J.NL	AUTOSPOR	<u>Netherlands</u>	AUTOSPORT
VEL	Phone n° + Email	0031 183 403400 info@biesheuvel.nl	POLBELIGELS

The structure shown on this form is manufactured for the following vehicle:

Make	BMW T O S P O R	Model	<u>E 30</u>	Year/Model Identifier	1990
1 A AFF 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	e Homologation Number(s)* vlicable	S.NL B	NASHEUVEL	ROLBEUGE	LS.NL








30487

DETAILS OF STRUCTURE



A = 490 __mm

PK I

B=

<u>180</u>

mm

C=

<u>70</u> mı

= 280

mm__

H=

930

mm


(E is highest figure only)

All Dimensions $\pm 5 \text{mm}$

BIESHEUVEL ROLBEUGELS, BIESHEUVE

Method of attachment to Body Shell	Welded	
Weight of Safety Cage, inc. fastenings	<u>45</u> kg	ROLBEUGELS

LABELLED DRAWING OF THE SAFETY CAGE STRUCTURE SHOWING ALL TUBING DIMENSIONS



HEUVEL ROLBEUGELS.NL BIESHEUVEL ROLBEUGELS.N

BIESHEUVEL

ROLBEUGELS

BIESHEUVE

Biesheuvel Autosport - Rolbeugels.nl

Page 2





30487

ROLBEUGELS BIESHEUVEL ROLBEUGELS

All Dimensions <u>+</u> 0.1mm		R T Show location of each type on drawing S P O R T			
Tube / Member	Label	Grade of Steel	External Diameter (OD)	Wall Thickness	Min. Tensile Strength
Main Rollbar	<u>M</u>	E235EN/10305-1	45.0 mm	2.5 Mm	480 N/m
Front/Lateral Rollbar	<u>L/F</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/m
Backstays	<u>B</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/m
Main rollbar Diagonal members	O SDP	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/m
Backstay Diagonal members	<u>D1</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/m
Roof Reinforcements	EU <u>c</u> JE	E235EN/103050-1	40.0 mm	2.0 Mm	480 N/m
Doorbars	<u>E</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/m
Windscreen Pillar Reinforcements	<u>C1</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/m
Harness Bar	<u>S</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/m
OPTINAL TUBES	ELICE	DIE	mm	Mm	N/m
OPTINAL TUBES	0	E235EN/103050-1	40.0 p mm	2.0 Mm	480 N/m
	<u>02</u>	<u>DIN2391</u> <u>25CRM04</u>	30.0 mm	1.5 Mm	700 N/m
S.NL BIES	HEU	VEL ROL	BEUGmm_S	B Mm	N/m
			mm	mm	N/m
T DOLD	FLICE	C	mm	mm FI	N/m

Total length of all tubes < 40 mm OD mm <u>15 m maximum</u>

HEUVEL ROLBEUGELS

BIESHEUVEL

ROLBEUGELS.NI

UGELS BIESHEUVE

ROLBEUGELS.N

BIESHEUVEL

HEUVEL

ROLBEUGELS

BIESHEUVEL

ROLBEUGELS.N

EUGELS.NL

BIESHEUVEL

ROLBEUGELS.NL

BIESHEUVEL

Biesheuvel Autosport - Rolbeugels.nl

IC

Page 3





30487

VEL ROLBEUGELS, BIESHEUVEL ROLBEUGELS.

PHOTO 1
FRONT ¾ VIEW OF CAGE



PHOTO 2
REAR ¾ VIEW OF CAGE




PHOTO 3
VIEW FROM SIDE OF CAR



PHOTO 4
MAIN ROLLBAR TO FLOOR ATTACHMENT



PHOTO 5
REAR BACKSTAY TO BODYSHELL ATTACHMENT



PHOTO 6
FRONT ROLLBAR TO FLOOR ATTACHMENT








30487

PHOTO 7

FRONT ROLLBAR TO "A" PILLAR ATTACHMENT



РНОТО 8



РНОТО 9

ATTACHMENT TO FRONT SUSPENSION



РНОТО

Chassis Identification Number



PHOTO 10

ANTI-INTRUSION DOORBAR - DRIVER



PHOTO 11

ANTI-INTRUSION DOORBAR - CO-DRIVER







Biesheuvel Autosport Installation Number

30487

PHOTO 12 SHOULDER HARNESS ATTACHMENT - DRIVER



PHOTO 13 SHOULDER HARNESS ATTACHMENT – CO DRIVER



PHOTO 14
LOCATION OF INDENTIFICATION PLATE



PHOTO 16
DETAILS OF INDENTIFICATION PLATE



PHOTO 17



PHOTO 18
OTHER DETIALS OF CAGE



BIESHEUVEL

ROLBEUGELS.NI

BIESHEUVE





30487

1	V.I.N. or Chassis Identification Number	WBAAF510502241634	ROLBEUGELS.NL
	Safety cage identification Number	30487	

MANUFACTURER'S DECLARATION AND DETAILS:

I declare that the Safety Cage Structure described on this form and fitted to the vehicle described above:

- was constructed and installed in accordance with the specifications and design shown herein.
- has been manufactured so that all aspects of the Safety Cage design, including configuration and strength requirements and welded and demountable joints and mountings, will be in conformity with the requirements of the FIA Homologation Regulations for Safety Cages.
- has been identified by an engraved plate bearing the name or logo of the manufacturer, (Biesheuvel Autosport)

Manufacturer's Name	Biesheuvel Autosport	AUTOSPORT
Address	Rijksweg 37	
VEL ROLBEUGELS	4255 GE Nieuwendijk	
TIC DIECHELINA	<u>Netherlands</u>	DIECHWattive!
Phone n° + Email T O 5 P O F	0031 183 403400 ULL 3.N. info@biesheuvel.nl	A ∪ Manufacturer Stamp ⊤ here
Signature:	BIESHEUVEL Insert signature heres PORT	
Name of Signatory#:	N Biesheuvel	BIESHEUVEL

MANUFACTURER'S AGENT: (For Safety Cages installed by an Agent)

The following Agent is authorised to act on the manufacturer's behalf to install this Safety Cage design.

Agent's Name	GB Metaal Techniek
Address BIESHEUVI	Bredesteeg 2 BEUGELS.NL BIESHEUVEL
	4255 GH Nieuwendijk
VEL ROLBEUGELS	Netherlands SHEUVEL ROLBEUGELS.NL
Phone n° + Email	0031 622607952 info@rolbeugels.nl

Instructions to the installer of the Safety Cage

ROLBEUGELS.NL BIESHEUVEL ROLBEUGELS.NL

Biesheuvel Autosport - Rolbeugels.nl

