


## UVEL ROLSAFETY CAGE SPECIFICATION UGELS

Biesheuvel Autosport is a KNAF certified company for installations off roll-bars This roll bar is built in under Annexe J artikel 253 self construction


HEU	Safety Cage Manufacturer	Biesheuvel Autosport ROLBEUGELS
O S P	Address	Rijksweg 37
BEUGE		4255 GE Nieuwendijk ELS BIESHEUVEL Netherlands
	Phone n° + Email	0031 183 403400
	A S S NOLDLOOLLY	

RELIGE	The structure shown on this form is manufactured for the following vehicle:				
	Make	MAZDA	Model	<u>MX 5</u>	Year/Model Identifier 1999
HEU	Vehicle H *if applica	omologation Number(s)* able	B.NL A	<u>N/A</u>	

BEUGE	Drawing of front ¾ view of the Complete Structure showing the location of the identification plate	
HĘŲ		
BEUGE		
HĘŲ	VEL F	
BEUGE		
HĘŲ		
	LS.N. BIESHEUVEL ROLBEUGELS.N. BIESHEUVEL	
	Biesheuvel Autosport – Rolbeugels.nl Page 1	



Method of attachment to Body Shell	Welded		AUTOSPORT
Weight of Safety Cage, inc. fastenings	<u>45</u> E S F	≡ kg = L	ROLBEUGELS







## Biesheuvel Autosport Installation Number 30484

## UVEL ROLBEUGELS. BIESHEUVEL ROLBEUGELS.NL

All Dimensions <u>+</u> 0.1	mm <sub>s P</sub> o	Show location of each type on drawing on show no show the state of the			
Tube / Member	Label	Grade of Steel	External Diameter (OD)	Wall Thickness	Min. Tensile Strength
Main Rollbar	<u>M</u>	E235EN/10305-1	45.0 mm	2.5 Mm	480 N/mn
Front/Lateral Rollbar	<u>L/F</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mn
Backstays	<u>B</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mn
Main rollbar Diagonal members	s <u>d</u> p o	RT	mm	Mm <sup>O</sup>	S P O R N/mn
Backstay Diagonal members	<u>D1</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mn
Reinforcements	10 <u>c</u> 31			Mm	JUEL N/mr
Doorbars	E	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mn
Windscreen Pillar Reinforcements	<u>C1</u>	<b>IEL ROL</b>	BEUGmm	Mm	N/mn
Harness Bar	<u>s</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr
OPTINAL TUBES	CUCC		mm		N/mn
OPTINAL TUBES		E235EN/103050-1	40.0 pmm	2.0 Mm	480 N/mr
			mm	Mm	N/mr
LS.NL BIES	HEUY	VEL ROLI	BEUGmm	Mm	N/mr
A 0 1 5	- 3 P C		mm	mm	N/mr
EL ROIR	ELIGE	S. BIES	mm		N/mn
	LUUL	A U T	OSPOR		JULLU.NL
Total length o	of all tubes < 4	0 mm OD	mm	15 m maximum	





## BEUGELS.NL BIESHEUVEL ROLBEUGELS.NL

PHOTO 1 FRONT ¾ VIEW OF CAGE

РНОТО 3

VIEW FROM SIDE OF CAR



REAR ¾ VIEW OF CAGE



PHOTO 4 MAIN ROLLBAR TO FLOOR ATTACHMENT





PHOTO 6 FRONT ROLLBAR TO FLOOR ATTACHMENT




BIESHEUVEL

Page 4

Biesheuvel Autosport - Rolbeugels.nl





BEUGE



SHOULDER HARNESS ATTACHMENT – CO DRIVER



PHOTO 14 LOCATION OF INDENTIFICATION PLATE




PHOTO 17 NULD OTHER DETAILS OF CAGE

PHOTO 16 DETAILS OF INDENTIFICATION PLATE



PHOTO 18 OTHER DETIALS OF CAGE



AUTOSPORT



Page 6

Biesheuvel Autosport – Rolbeugels.nl

	BIESHEUVEL AUTOSPORT	ROLBEUGELS.NL	
	BIESHEUVEL AUTOSPORT	<b>ROLBEUGELS</b> .NL	30181
	AUTOSPORT		<b>A I I / I A / I</b>
		DOLDELICELC	50404
	LOW RIFOHEOAE	<b>KULBEUGELS</b> .NI	
_			
U)	V.I.N. or Chassis Identification Number	JM1NA35J2L0129707	<b>ROLBEUGELS</b> .NL
_	Safety cage identification Number	30484	
GĘ	MANUFACTURER'S DECLARATION AND I	DETAILS: POLBEUGELS	
1		described on this form and fitted to the ve	
	<ul> <li>has been manufactured so that a requirements and welded and demounta Homologation Regulations for Safety Cag</li> </ul>	ordance with the specifications and desig II aspects of the Safety Cage design, Ible joints and mountings, will be in confo ges. Iolate bearing the name or logo of the ma	including configuration and streng rmity with the requirements of the F
Եե	LS <sub>NE</sub> BIESHEUVE	RULBEUGELSM	BIESHEUVEL
_	Manufacturer's Name O S P O R	<b>Biesheuvel Autosport</b>	AUTOSPORT
	Address	Rijksweg 37	DOLDEUCELC
P		4255 GE Nieuwendijk	<b>KULBEUGELS</b> .NL
		Netherlands	
GE	Phone n° + Email	0031 183 403400 info@biesheuvel.nl	A U Manufacturer Stamp T here
			DOLDEUGELO
	Signature:	Insert signature here S P O R T	RULBEUGELS.NL
GE	Name of Signatory#:	<u>N Biesheuvel</u>	BIESHEUVEL
	MANUFACTURER'S AGENT: (For Safety C The following Agent is authorised to act o Agent's Name	Cages installed by an Agent) on the manufacturer's behalf to install th <b>GB Metaal Techniek</b>	is Safety Cage design.
CI		DOI DELLCELC	DIECHEIIVEL
GE	Address <b>BIESHEUVE</b>	Bredesteeg 2 BEUGELS N	
		4255 GH Nieuwendijk	
U)	VEL ROLBEUGEL	<u>Netherlands</u>	ROLBEUGELS
_	Phone n° + Email	0031 622607952 info@rolbeugels.nl	
GF	S BIESHEUVE	<b>L</b> ROI BEUGELS	BIESHEUVEL
	Instructions to the installer of the Safe	ty Cage	AUTOSPORT
L			
Ų	ROLBEUGELS		

ROLBEUGELS NE BIESHEUVEL ROLBEUGELS NE

Page 7

Biesheuvel Autosport – Rolbeugels.nl

