


UVEL ROLSAFETY CAGE SPECIFICATION UGELS

Biesheuvel Autosport is a KNAF certified company for installations off roll-bars This roll bar is built in under Annexe J artikel 253 self construction


HEU	Safety Cage Manufacturer	Biesheuvel Autosport ROLBEUGELS
O S P	Address	Rijksweg 37
BEUGE		4255 GE Nieuwendijk ELS BIESHEUVEL Netherlands
	Phone n° + Email	0031 183 403400 info@biesheuvel.nl ELLY ELL DOL DELICELC
	KULBEUGELS	

The structure shown on this form is manufactured for the following vehicle:					Ľ
Make	DAF T O S P O R	Model	55	Year/Model Identifier	т
Vehicle Homologation Number(s)* *if applicable		N/ASHEUVEI	ROLBEUGELS	NL	

	Drawing of front ¾ view of the Comp	lete Structure <u>showing the location</u>	on of the identification plate	S.NL
			30303	
			DIECHEUN	S.NL
Biesheuvel	Autosport – Rolbeugels.nl	BIESHEUVEL		Page 1









Biesheuvel Autosport - Rolbeugels.nl



Biesheuvel Autosport Installation Number 30303

Page 3

UVEL ROLBEUGELS. BIESHEUVEL ROLBEUGELS.

All Dimensions <u>+</u> 0.1mm		Show location of each type on drawing			
Tube / Member	Label	Grade of Steel	External Diameter (OD)	Wall Thickness	Min. Tensile Strength
Main Rollbar	<u>M</u>	E235EN/10305-1	45.0 mm	2.5 Mm	480 N/mm ²
Front/Lateral Rollbar	<u>L/F</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm
Backstays	<u>–</u> <u>B</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm
Main rollbar Diagonal members	s <u>d</u> p o	RT	mm	AU Mm Os	PORN/mm
Backstay Diagonal members	<u>D1</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm
Reinforcements	20 <u>c</u> 32			Mm L	JUCEL N/mm
Doorbars	E	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mm
Windscreen Pillar Reinforcements	<u>C1</u>	IEL ROL	BEUGmm	Mm	N/mm
Harness Bar	<u>s</u>	RT	mm	Mm	N/mm
OPTINAL TUBES	CUCE		mm	Mm	N/mm
OPTINAL TUBES	0	E235EN/103050-1	40.0 p mm R	2.0 Mm	480 N/mm
	02		mm	Mm	N/mm
ELS _{NL} BIES	HEUN	VEL ROL	BEUGmm_S	Mm	N/mm
AUT		R	mm	mm	N/mm
VEL ROLR	FLIGE	S. BIES	mm		N/mm
	of all tubes < 40	LU.NL AUT	OSPOR	15 m maximum	JOLLJ.NL

 BIESHEUVEL
 ROLBEUGELS.M.
 BIESHEUVEL

 BIESHEUVEL
 ROLBEUGELS.M.
 BIESHEUVEL



LBEUGELS.NL BIESHEUVEL ROLBEUGELS.NL

PHOTO 1 FRONT ¾ VIEW OF CAGE



REAR ¾ VIEW OF CAGE



PHOTO 4 MAIN ROLLBAR TO FLOOR ATTACHMENT







Biesheuvel Autosport – Rolbeugels.nl

PHOTO 6 FRONT ROLLBAR TO FLOOR ATTACHMENT



Page 4







PHOTO 10 ANTI-INTRUSION DOORBAR - DRIVER



PHOTO 11 R ANTI-INTRUSION DOORBAR – CO-DRIVER



Page 5

UTOSPOR

OLBEUGELS.NL

Biesheuvel Autosport – Rolbeugels.nl








PHOTO 17 OTHER DETAILS OF CAGE

BEUGEI



PHOTO 16 DECEMBENTIFICATION PLATE



PHOTO 18 OTHER DETIALS OF CAGE



UTOSPOR

BIESHEUVEL

Page 6

Biesheuvel Autosport – Rolbeugels.nl

BIESHEUVEL	S	ROLBEUGELS.NL	Installation Numbe
A U T O S P O R T		POL RELIGELS	30303
	2		
V.I.N. or Chassis Identification Numbe	erS _{.NL}	BIESHEUVEL	ROLBEUGELS
Safety cage identification Number		30303	
was constructed and installed in ac has been manufactured so that equirements and welded and demount	ccordance all aspec table join ages.	cts of the Safety Cage design, i ts and mountings, will be in confo	n shown herein. including configuration and st rmity with the requirements of t
was constructed and installed in ac has been manufactured so that equirements and welded and demount domologation Regulations for Safety Ca has been identified by an engraved	ccordance all aspec table join ages. d plate be	e with the specifications and desig cts of the Safety Cage design, i ts and mountings, will be in confor aring the name or logo of the mar	n shown herein. including configuration and st rmity with the requirements of t
was constructed and installed in ac has been manufactured so that equirements and welded and demount lomologation Regulations for Safety Ca has been identified by an engraved Manufacturer's Name	ccordance all aspect table join ages. d plate be Bies	e with the specifications and desig cts of the Safety Cage design, i ts and mountings, will be in confor	n shown herein. including configuration and st rmity with the requirements of t
was constructed and installed in ac has been manufactured so that equirements and welded and demount lomologation Regulations for Safety Ca has been identified by an engraved Manufacturer's Name	cordance all aspectable join ages. d plate be <u>Bies</u> <u>Rijks</u>	e with the specifications and design cts of the Safety Cage design, i ts and mountings, will be in confor aring the name or logo of the mar sheuvel Autosport weg 37 <u>GE Nieuwendijk</u>	n shown herein. including configuration and st rmity with the requirements of t
was constructed and installed in ac has been manufactured so that equirements and welded and demount domologation Regulations for Safety Ca	cordance all aspectable join ages. d plate be <u>Bies</u> <u>A255</u> <u>Neth</u> 0031 :	e with the specifications and design cts of the Safety Cage design, i ts and mountings, will be in confor aring the name or logo of the mar sheuvel Autosport weg 37	n shown herein. including configuration and st rmity with the requirements of t
was constructed and installed in ac has been manufactured so that equirements and welded and demount lomologation Regulations for Safety Ca has been identified by an engraved Manufacturer's Name Address	cordance all aspectable join ages. d plate be <u>Bies</u> <u>A255</u> <u>Neth</u> 0031 :	e with the specifications and designer ts of the Safety Cage design, in ts and mountings, will be in confor- aring the name or logo of the mare sheuvel Autosport weg 37 GE Nieuwendijk herlands 183 403400	n shown herein. Including configuration and st rmity with the requirements of the nufacturer, (Biesheuvel Autospe BIESHISSELUGELS

Agent's Name	GB Metaal Techniek	
Address BIESHE		ESHEUVEL
	4255 GH Nieuwendijk	

 VEL ROLBEUGEL
 Netherlands
 SHEUVEL ROLBEUGELS

 Phone n° + Email
 0031 622607952 info@rolbeugels.nl

 G
 Diffections to the installer of the Safety Cage

