

21.13.933/01

SAFETY CAGE CERTIFICATE

In compliance with FIA Homologation Regulations for Safety Cages

USE PROHIBITED FOR SAFETY CAGES OF HISTORIC VEHICLES

This Certificate is valid only for the Safety Cage bearing the Serial Number shown on Page 7 of 8

| Safety Cage Manufacturer | BIESHEUEVL AUTOSPORT |
|--------------------------|-----------------------------------|
| Address | Rijksweg 37 |
| | 4255 GE Nieuwendijk |
| | Nederland |
| Phone n° + Email | 0031 183403400 info@biesheuvel.nl |


The structure shown on this form is manufactured for the following vehicle:

| Make | FORD | Model | ESCORT MK 2 | Year/M | odel Identifier | <u>1978</u> |
|--|--|-------|-------------|----------|-----------------|-------------|
| Vehicle Hor *if applicab | mologation Number(s)* ble | | <u>N/A</u> | | | |
| Compulsory use without co-driver | | | Yes | | No | x |
| | | | 21.13 | 3.933/01 | | |
| D | Drawing of front ¾ view of the Complete Structure showing the location of the identification plate | | | | <u>plate</u> | |
| IT IS ACCEPTED BY ALL PARTIES AND ENTITIES CONCERNED WITH THIS DOCUMENT AND ITS CONTENT THAT, IN THE LAST RESORT, THE FIA HOLDS FULL AUTHORITY TO TESTIFY TO THE REGULATORY VALIDITY OF THIS CERTIFICATE IN CASE OF DIFFICULTIES REGARDING THE APPLICATION OR INTERPRETATION OF THE RULES AND/OR REQUIREMENTS REFERRED TO ABOVE | | | | | | |



21.13.933/01





| <u>640</u> | mm | B= | | mm |
|------------|----|------------|---------------|-----|
| | mm | E = | <u>295</u> | mm |
| <u>970</u> | mm | (E is high | est figure on | ly) |

All Dimensions \pm 5mm

| Method of attachment to Body Shell | <u>Welded</u> | |
|--|---------------|----|
| Weight of Safety Cage, inc. fastenings | <u>45</u> | kg |

This document is valid only if fully completed and issued as a validated original document by **KNAF** (The issuing ASN).

It must be presented, in full, on demand to FIA or ASN delegates or Technical Scrutineers of the Meeting (Competition). The authorisation of this form by the issuing ASN certifies that the structure shown herein complies with the basic strength and

configuration requirements of the FIA Homologation Regulations for Safety Cages. It does not certify that the structure complies with the requirements of any particular competition or technical regulations.

This certificate becomes invalid if the structure is modified in any way

from the design shown herein.

| FOR THE USE OF THE ISSUING ASN ONLY | | | | |
|--|--------------------------------------|--|--|--|
| The issuing ASN, having been satisfied that the Safety Cage design identified in this Certificate has been demonstrated to meet the requirements of the FIA Homologation Regulations for Safety Cages, certifies that the design of the Safety Cage Structure is valid for use, subject to the restrictions listed below, in all events sanctioned by the issuing ASN and International events sanctioned by the FIA. | | | | |
| Name of Authorising Officer | | | | |
| Position | | | | |
| Signed | Insert signature here ASN Stamp here | | | |
| Date of certification | / / | | | |
| Expiry date | <i>L L</i> | | | |
| Remarks/Restrictions (For the use of the issuing ASN only) | | | | |



<u>EXAF CERTIFICATE NUMBER</u>

LABELLED DRAWING OF THE SAFETY CAGE SHOWING ALL TUBING DIMENSIONS

| | | | D M | |
|-------------------------------------|-------------------|-----------------------|---------------------------------|---------------------|
| All Dimensions <u>+</u> 0.2 | | | Show location of each type on d | |
| Tube / Member | Label | Grade of Steel | External Diameter (OD) | Wall Thickness (WT) |
| Main Rollbar | M | E235EN/10305-1 | 45.0 mm | 2.5 mm |
| Front (or Lateral Rollbar) | <u>L/F</u> | <u>E235EN/10305-1</u> | 45.0 mm | 2.5 mm |
| Backstays | <u>B</u> | <u>E235EN/10305-1</u> | 45.0 mm | 2.5 mm |
| Main rollbar Diagonal members | D | E235EN/10305-1 | 40.0 mm | 2.0 mm |
| Backstay Diagonal members | <u>D1</u> | <u>E235EN/10305-1</u> | 40.0 mm | 2.0 mm |
| Roof Reinforcements | <u>C</u> | E235EN/10305-1 | 40.0 mm | 2.0 mm |
| Doorbars | E | E235EN/10305-1 | 40.0 mm | 2.0 mm |
| Windscreen Pillar Reinforcements | <u>C1</u> | E235EN/10305-1 | 40.0 mm | 2.0 mm |
| Harness Bar | <u>s</u> | E235EN/10305-1 | 40.0 mm | 2.0 mm |
| | <u>01</u> | 25CRM04 | 40.0 mm | 1.5 mm |
| | <u>0</u> | <u>E235EN/10305-1</u> | 40.0 mm | 2.0 mm |
| | | | mm | mm |
| | | | mm | mm |
| | | | mm | mm |
| | | | mm | mm |
| Total length | of all tubes < 40 | 0 mm OD | 1500 mm | <u>15 m maximum</u> |

FIA SPORT - Technical Department

3/8



_ . . _ _ _

KNAF CERTIFICATE NUMBER

21.13.933/01

PHOTO 1 FRONT ¾ VIEW OF CAGE



PHOTO 3 VIEW FROM SIDE OF CAR



РНОТО 5

REAR BACKSTAY TO BODYSHELL ATTACHMENT



PHOTO 2 REAR ¾ VIEW OF CAGE



PHOTO 4 MAIN ROLLBAR TO FLOOR ATTACHMENT



Without painting

РНОТО 6

FRONT ROLLBAR TO FLOOR ATTACHMENT



FIA SPORT - Technical Department

4/8



21.13.933/01

PHOTO 7 FRONT ROLLBAR TO "A" PILLAR ATTACHMENT



PHOTO 9 ATTACHMENT TO FRONT SUSPENSION



РНОТО 10





PHOTO 8 MAIN ROLLBAR TO "B" PILLAR ATTACHMENT



DUOTOCDADULIC ATTACHED THE CTRUCTURE DECORDED

PHOTO 11 ANTI-INTRUSION DOORBAR – CO-DRIVER



FIA SPORT - Technical Department

5/8



21.13.933/01

PHOTO 12

SHOULDER HARNESS ATTACHMENT – DRIVER



O PHOTOGRAPH IS ATTACHED. THE STRUCTURE DESCRIBED

РНОТО 14

LOCATION OF IDENTIFICATION PLATE



PHOTO 16 OTHER DETAILS OF CAGE



Without painting

PHOTO 13 SHOULDER HARNESS ATTACHMENT – CO-DRIVER



PHOTO 15 DETAIL OF IDENTIFICATION PLATE



PHOTO 17 OTHER DETAILS OF CAGE



FIA SPORT - Technical Department

6/8



21.13.933/01

| V.I.N. or Chassis Identification Number | |
|---|---------------------|
| Safety cage identification Number | <u>21.13.933/01</u> |
| FIA Sticker Number | 2113 933 ASNSC00503 |
| Date <mark>*</mark> | <u>21 13 933</u> |

* This date cannot be later than the expiration date indicated on page 2/8

FIA STICKER FOR ASN SAFETY CAGE - LOCATION



CHASSIS NUMBER

Photo of chassi s number affixed to the car Painting accepted

FIA STICKER FOR ASN SAFETY CAGE - ZOOM



SAFETY CAGE NUMBER



FIA STICKER



FIA SPORT - Technical Department

7/8



21.13.933/01

MANUFACTURER'S DECLARATION AND DETAILS:

I declare that the Safety Cage Structure described on this form and fitted to the vehicle described above:

• was constructed and installed in accordance with the specifications and design shown herein.

• has been manufactured so that all aspects of the Safety Cage design, including configuration and strength requirements and welded and demountable joints and mountings, will be in conformity with the requirements of the FIA Homologation Regulations for Safety Cages.

• has been identified by an engraved plate bearing the name or logo of the manufacturer, the ASN Certificate number and a unique manufacturer's serial number.

| Manufacturer's Name | BIESHUEVEL AUTOSPORT | | |
|----------------------------------|----------------------------------|----------------------------|--|
| Address | Rijksweg 37 | | |
| | 4255 GE Nieuwendijk | | |
| | <u>Nederland</u> | Insert | |
| Phone n° + Email | 0031183403400 info@biesheuvel.nl | Manufacturer Stamp here | |
| Signature: | Insert signature here | | |
| Name of Signatory [#] : | | | |

MANUFACTURER'S AGENT: (For Safety Cages installed by an Agent)

The following Agent is authorised to act on the manufacturer's behalf to install this Safety Cage design.

| Agent's Name | <u>GB METAAL TECHNIEK</u> | |
|------------------|---------------------------------|--|
| Address | Rijksweg 37 | |
| | 4255 GH Nieuwendijk | |
| | <u>Nederland</u> | |
| Phone n° + Email | 0031622607952 info@rolbeugel.nl | |

Instructions to the installer of the Safety Cage

The ASN may list here any instructions it wishes to be followed for the processing of the certificate

FIA SPORT - Technical Department

8/8



21.13.933/01

SUPPLEMENTARY DOSSIER FOR CERTIFICATION FOR A SAFETY CAGE

Notice to Applicants: All information in this Supplementary Dossier will be treated as Confidential by **KNAF** and no information on the present form will be released without the permission of the applicant, other than when requested by the FIA or statutory authorities.

| ASN instructions here |
|-----------------------|
| |
| |

Such Certificate will be invalid if the structure is modified in any way from the design shown herein.

MANUFACTURER'S DECLARATION AND DETAILS:

I declare that all Safety Cage Structures built to the design described on this form:

• will be constructed by me, or under my supervision, or by my authorised agent in accordance with the specifications and design shown herein.

• will be manufactured so that all aspects of the Safety Cage design, including configuration and strength requirements, welded and demountable joints and mountings, will be in conformity with the requirements of the FIA Homologation Regulations for Safety Cages.

• will be identified by an engraved plate bearing the name or logo of the manufacturer, the **KNAF** Certificate number and a unique manufacturer's serial number.

| Name of Manufacturer | BIESHEUVEL AUTOSPORT | |
|----------------------|-----------------------------------|------------------------------|
| Address | <u>Rijksweg 37</u> | |
| | 4255 GE Nieuwendijk | |
| | <u>Nederland</u> | |
| Phone n° + Email | 0031 183403400 info@biesheuvel.nl | Insert Manufacturer Stamp |
| Signature | Insert signature here | here |
| Name of Signatory | | |
| Date | / / | |

FIA SPORT - Technical Department

1/2



21.13.933/01

TESTING CENTRE OR ENGINEERING COMPANY REPORT

If a report is required, please give details below, and submit the report with this application :

| Name of Testing Centre recognised by the FIA or | |
|--|--|
| Company approved by the FIA for the calculation of safety cages | |
| Test report number | |
| Date of Test or Issue of Report | |
| Calculation report number | |
| Date of Calculation or Issue of Report | |

MANUFACTURER'S DOSSIER

Your ASN may require you to submit a Manufacturer's Dossier, or provide other information if you have not previously been authorised to produce safety cages. Please contact your ASN to ascertain what requirements, if any, may be imposed prior to the issuing of this Certificate.