


UVEL ROLSAFETY CAGE SPECIFICATION UGELS


Biesheuvel Autosport is a KNAF certified company for installations off roll-bars This roll bar is built in under Annexe J artikel 253 self construction

HEU	Safety Cage	e Manufacturer	Biesheuvel Autosport	ROLBEUGELS .NL
0 5 P		Address	Rijksweg 37	
BEUG	ISM BIESI	HEUVE	4255 GE Nieuwendijk	BIESHEUVEL
	AUTO	SPOR	<u>Netherlands</u>	AUTOSPORT
HEU		none n° + Email	0031 183 403400 info@biesheuvel.nl	POL RELIGELS
		LUULLJ		NOLDLOOLLJ.NL


RELIGE	The struct	ure shown on this form is man	ufactured	for the following vehicle:		VEL
	Make	OPEL T O S P O R	Model	KADETT COUPE	Year/Model Identifier	<u>1978</u>
HEU	Vehicle H *if application	omologation Number(s)* able	B.NL B	<u>N/A</u> SHEUVEL	ROLBEUGE	LS.NL

Drawing of front ¾ view of the Complete Structure showing the location of the identification plate	L
	NL
LS.M	L
VEL S.	NL
LS.M. 30378	
VEL S	NL
LS. BIESHEUVEL ROLBEUGELS. BIESHEUVEI	Ļ
Biesheuvel Autosport – Rolbeugels.nl F	Page 1





_	Method of attachment to Body Shell	<u>Welded</u>		
J	Weight of Safety Cage, inc. fastenings	45 ES	kg	ROLBEUGELS





Biesheuvel Autosport - Rolbeugels.nl



Biesheuvel Autosport Installation Number 30378

UVEL ROLBEUGELS.NL BIESHEUVEL ROLBEUGELS.NL

All Dimensions <u>+</u> 0.	1mm _s p c	RT	Show location of ea	ch type on drawing 🕤 🕤	PORT
Tube / Member	Label	Grade of Steel	External Diameter (OD)	Wall Thickness	Min. Tensile Strength
Main Rollbar	<u>м</u> = =	E235EN/10305-1	45.0 mm	2.5 Mm	480 N/mr
Front/Lateral Rollbar	<u>L/F</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr
Backstays	<u> </u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr
Main rollbar Diagonal members	o s <u>p</u> p c	E235EN/10305-1	40.0 mm	2.0 ^U Mm ^O S	P480 R N/mr
Backstay Diagonal members	<u>D1</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr
Roof Reinforcements		E235EN/103050-1	40.0 mm	2.0 Mm	480 N/mr
Doorbars	<u> </u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr
Windscreen Pillar Reinforcements	<u>C1</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr
Harness Bar	<u>s</u>	E235EN/10305-1	40.0 mm	2.0 Mm	480 N/mr
OPTINAL TUBES	01		mm	Mm F	N/mr
OPTINAL TUBES		E235EN/103050-1	40.0 p mm R	2.0 Mm	480 N/mr
			mm	Mm	N/mr
LS.NL BIES	HEUN	VEL ROL	BEUGmm_S	Mm	N/mr
A 0 1			mm	mm	N/mr
EL ROIR	FLIGE	S. BIES	mm	D mm	N/mr
RT		A U T	OSPOR		
Total length	of all tubes < 40	0 mm OD	mm	15 m maximum	



Page 3



LBEUGELS.NL BIESHEUVEL ROLBEUGELS.NL

FRONT ¾ VIEW OF CAGE

PHOTO 1

РНОТО З



REAR ¾ VIEW OF CAGE



PHOTO 4 MAIN ROLLBAR TO FLOOR ATTACHMENT







PHOTO 6 FRONT ROLLBAR TO FLOOR ATTACHMENT



Page 4



Biesheuvel Autosport – Rolbeugels.nl

Page 5






PHOTO 14

LOCATION OF INDENTIFICATION PLATE



PHOTO 16 DETAILS OF INDENTIFICATION PLATE

30378

Page 6




РНОТО 17 OTHER DETAILS OF CAGE









BIESHEUVE	ROLBEUGELS	Biesheuvel Autospo Installation Numbe NL 30378
S.N. BIESHEUV	EL ROLBEUGELS	BIESHEUVE
V.I.N. or Chassis Identification Numb	er <mark>S_{NL} <u>92825192</u> EUVE</mark>	L ROLBEUGELS
Safety cage identification Number	30378	
has been manufactured so that quirements and welded and demoun pmologation Regulations for Safety (has been identified by an engrave	ed plate bearing the name or logo of the	n, including configuration and st nformity with the requirements of
Manufacturer's Name 🔍 S 🖻 📀	Biesheuvel Autosport	AUTOSPOR
ROLBEUGEI	Rijksweg 37 4255 GE Nieuwendijk	L ROLBEUGELS
	Netherlands	
Phone n° + Email T O S P O	0031 183 403400 EUULLS info@biesheuvel.nl	NI Manufacturer Stamp
		DOLDELIGEL
Signature:	SNL BIESHEUVE	
C DIFCUFUN	NE BIESHEUVE	
	y Cages installed by an Agent) ct on the manufacturer's behalf to insta	BIESHEUVE Ithis Safety Cage design. GEL
Name of Signatory [#] : IANUFACTURER'S AGENT: (For Safet he following Agent is authorised to a Agent's Name	cy Cages installed by an Agent) ct on the manufacturer's behalf to insta GB Metaal Techniek	BIESHEUVE
Name of Signatory [#] : IANUFACTURER'S AGENT: (For Safet ne following Agent is authorised to a	y Cages installed by an Agent) ct on the manufacturer's behalf to insta	It this Safety Cage design. GEL
Name of Signatory [#] : IANUFACTURER'S AGENT: (For Safet he following Agent is authorised to a Agent's Name	cy Cages installed by an Agent) ct on the manufacturer's behalf to insta GB Metaal Techniek Bredesteeg 2	Ithis Safety Cage design. GEL
Name of Signatory [#] : IANUFACTURER'S AGENT: (For Safet he following Agent is authorised to a Agent's Name	y Cages installed by an Agent) ct on the manufacturer's behalf to insta GB Metaal Techniek Bredesteeg 2 4255 GH Nieuwendijk	RULBEUGELS BIESHEUVE



